

Message

---

**From:** Andrae, Bill/MKE [William.Andrae@jacobs.com]  
**Sent:** 5/10/2021 10:07:09 PM  
**To:** Giancarlo, Mary Beth [Giancarlo.Marybeth@epa.gov]; Klinkhamer, Christopher [Klinkhamer.Christopher@epa.gov]  
**CC:** Skwarski, Alison/DET [Alison.Skwarski@jacobs.com]; Reif, Marty/WDC [Marty.Reif@jacobs.com]  
**Subject:** RE: Gorge Dam - Outstanding Comments  
**Attachments:** GorgeDam\_OutstandingStakeholderComments-ClarificationNeeded\_r3.xlsx

Hi Mary Beth and Chris – Attached is our latest version of the outstanding design comments summary table for our internal use. Alison and I reviewed the Medium Priority items and used the color coding (noted at the bottom of the table) shown below to further prioritize the Medium Priority items.

For "Medium" priority tasks, the following color coding indicates additional prioritization

HIGH
MEDIUM
LOW

Cheers!

Bill

**Bill Andrae** | Jacobs | Design Manager / Environmental Engineer  
M:+01.262.366.0968 | [william.andrae@jacobs.com](mailto:william.andrae@jacobs.com)  
1610 North 2<sup>nd</sup> Street Suite 201 | Milwaukee, WI 53212 | USA

**Jacobs** Challenging today.  
Reinventing tomorrow.

---

**From:** Andrae, Bill/MKE  
**Sent:** Friday, April 30, 2021 5:05 PM  
**To:** Giancarlo, Mary Beth <[giancarlo.marybeth@epa.gov](mailto:giancarlo.marybeth@epa.gov)>; Klinkhamer, Christopher <[klinkhamer.christopher@epa.gov](mailto:klinkhamer.christopher@epa.gov)>  
**Cc:** Skwarski, Alison/DET <[Alison.Skwarski@jacobs.com](mailto:Alison.Skwarski@jacobs.com)>; Reif, Marty/WDC <[marty.reif@jacobs.com](mailto:marty.reif@jacobs.com)>  
**Subject:** RE: Gorge Dam - Outstanding Comments

Mary Beth and Chris – Attached is another revision of the outstanding design comments summary table for discussion on Tuesday.

Have a great weekend!

Cheers!

Bill

**Bill Andrae** | Jacobs | Design Manager / Environmental Engineer  
M:+01.262.366.0968 | [william.andrae@jacobs.com](mailto:william.andrae@jacobs.com)  
1610 North 2<sup>nd</sup> Street Suite 201 | Milwaukee, WI 53212 | USA

**Jacobs** Challenging today.  
Reinventing tomorrow.

---

**From:** Andrae, Bill/MKE  
**Sent:** Monday, April 26, 2021 12:45 PM

**To:** Giancarlo, Mary Beth <[giancarlo.marybeth@epa.gov](mailto:giancarlo.marybeth@epa.gov)>; Klinkhamer, Christopher <[klinkhamer.christopher@epa.gov](mailto:klinkhamer.christopher@epa.gov)>  
**Cc:** Skwarski, Alison/DET <[Alison.Skwarski@jacobs.com](mailto:Alison.Skwarski@jacobs.com)>; Reif, Marty/WDC <[marty.reif@jacobs.com](mailto:marty.reif@jacobs.com)>  
**Subject:** Gorge Dam - Outstanding Comments

Hi Mary Beth and Chris – Attached is an updated version of the outstanding design comments summary table. It combines similar and duplicate comments into single topics that need to be resolved. The ones highlighted in “yellow” are ones which could be considered more urgent than others. The two highlighted in “blue” are more like reminders to you and Chris 😊.

We can discuss these tomorrow. My biggest concerns are the fish windows waiver and the disposition of the sediment underneath the Front Street Bridge rip rap apron.

Cheers!

Bill

**Bill Andrae** | Jacobs | Design Manager / Environmental Engineer  
M: +01.262.366.0968 | [william.andrae@jacobs.com](mailto:william.andrae@jacobs.com)  
1610 North 2<sup>nd</sup> Street Suite 201 | Milwaukee, WI 53212 | USA

**Jacobs** Challenging today.  
Reinventing tomorrow.

---

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.